

Project :	Date :
Cat. No. :	Type :
Notes :	Volts :

Applications:

Ideal for areas where intelligent and RGB LED solutions are required.

- For decor, ambiance and public safety.
- Architectural accentuation with warm natural and cool white or ambiance creation with RGB versions.
- Motion and twilight detection for patios, pool decks, corridors and bathrooms.
- Remote control operation available.

Suitable for indoor architectural, hospitality, commercial and residential applications.

Look for other LEDIX IP56 rated products for outdoor applications.

Housing:

Stainless steel housing polished or painted aluminium precision fit parts and assembly. Saddle mount PIR motion sensor available.

Source:

0.56W Cool white 5900K 34 lumens
0.42W Warm white 3100K 31 lumens
0.40W Natural white 4200K 43 lumens

00.84W For RGB

Finish:

Available in:

- Polished stainless steel finish
- Silver aluminium powder coated
- Graphite powder coated aluminium
- Old gold powder coated aluminium
- White
- Black

Options:

Choose one of the following:

1. Standard (IP44)
6. Built-in PIR motion sensor (IP20)



01-standard

Mounting:

Standard Moza series can be surface mount or semi-recessed with options such as motion sensor

Certification :


Conforms to ANSI/UL standard UL-2108
Certified to CAN/CSA standard 22.2-9.0

Power supply requirements:

Requires a 12VDC output power supply and can also operate with a 14VDC source for automotive or RV applications.

Leads, connectors and power supply are supplied separately.

* RGB external controller needed sold separately.



1. sticker 3M




Or

2. screw plate



01-PIR or motion sensor



Ordering Matrix / Specification

Model	Installation	Voltage	Function(s)	Finish color	Color
NTWL	01	1 (12volts)			
	01= Moza				
	1- Surface		1- Standard	1- Aluminium	1- Warm
	2- Semi-recessed		6- Built-in PIR motion sensor	2- Stainless steel	2- Warm white
				3- Graphite	7- Natural white
				5- White	6- RGB
				6- Black	



Natech Industrie

1995 Francis Hughes, Laval, Qc, H7S 2G2: (450) 629-1169, F: (450) 629-1168, www.natechlighting.com, service@natechlighting.com

This specification is valid as of 2022-09 and is subject to change without notice. Please confirm with the manufacturer before placing an order.
Copyright 2014 Natech Industrie. All rights reserved.

©2015-08